

Table B5 Evaluation of SEP Compliance with the FEP BE in Basic Schools

Compliance of SEP with FEP BE – basic schools		Non-compliance (%)	
Area	Indicator	2010/2011 479 SEP	2007–2011 4,125 SEP
Identification data	SEP name	4.2	7.7
	Submitting party	4.4	4.6
	Founder	2.3	7.3
	Document valid from	4.0	5.4
School description in SEP	Comprehensiveness and size of school	2.5	5.5
	School equipment	3.3	8.7
	Description of pedagogical staff	4.0	11.4
	Long-term projects and international cooperation	10.9	29.7
SEP description	Cooperation with parents and other entities	4.8	10.4
	School focus	1.5	2.8
	Educational and training strategies	5.6	9.3
	Teaching pupils with SEN	18.0	29.8
	pupils with disabilities	11.9	18.4
	pupils with health impairment	17.1	29.0
	socially disadvantaged pupils	22.1	39.0
	Teaching exceptionally gifted pupils	6.1	13.2
Curriculum	Incorporation of cross-curricular subjects	6.7	15.3
	Compliance of teaching hours allotment with the framework curriculum for the elementary level	11.1	19.5
	Compliance of teaching hours allotment with the framework curriculum for the second level (lower secondary education level)	7.5	17.0
Syllabus	Notes to the curriculum	18.6	29.9
	Names and description of school subjects	11.1	20.4
	Definitions of the content, time allotment and organisation	15.2	21.6
	Educational and training strategies	12.5	22.2
	Education content of individual subjects	12.7	24.3
	Compliance of expected SEP outcomes with the FEP BE	15.2	18.8
	Further elaboration of syllabus contained in the FEP BE	12.9	18.5
Rules for pupils' assessment	Cross-curricular topics – specification of topics and activities	16.7	29.2
	Methods of assessment of pupils	11.9	16.1
	Assessment criteria	15.9	23.5
School self-evaluation	Rules for assessment of pupils are integral parts of the SEP	15.0	27.7
	Self-evaluation areas	8.6	15.3
	Self-evaluation objectives	12.5	23.8
	Self-evaluation criteria	16.3	30.6
	Self-evaluation tools	8.8	16.4
Overall evaluation	Self-evaluation schedule	11.3	25.4
		2010/2011	2007–2011
	non-compliance	43.0	67.2
full compliance	57.0	32.8	