

- WEIGHT: The weighting variable used for the analysis
- METHOD: The method of replication used for the analysis
- SHORTCUT: whether the sampling variance was calculated using all plausible values (N), or just the first plausible value (Y).
- MISSOPTN: Whether pairwise, listwise or mean substitution was used to deal with missing data
- DATE: The date the analysis was conducted
- TIME: The time the analysis was conducted
- REPS: The number of replicates used for the analysis
- NPV: Number of plausible values used in the analysis.
- INFILE: data used for the analysis
- SELCRIT: selection criteria used for the analysis

The columns in the “_Model” Excel file and SPSS dataset are the following:

- Grouping Variables: Grouping variables used in defining the groups in the analysis (only IDCNTY in this case)
- RSQ: The multiple R squared coefficients
- ARSQ²⁰: Adjusted multiple R squared coefficients
- RSQ.SE: Standard error of the multiple R squared coefficients
- ARSQ.SE: Standard error of the adjusted multiple R squared coefficients
- XVAR: The name of the independent variables in the analysis
- DVAR: The name of the dependent variable in the analysis
- WEIGHT: The weighting variable used for the analysis
- METHOD: The method of replication used for the analysis
- SHORTCUT: whether the sampling variance was calculated using all plausible values (N), or just the first plausible value (Y).
- MISSOPTN: Whether pairwise, listwise or mean substitution was used to deal with missing data
- DATE: The date the analysis was conducted
- TIME: The time the analysis was conducted
- REPS: The number of replicates used for the analysis
- NPV: Number of plausible values used in the analysis.

²⁰ The Adjusted R Squared statistic is calculated as $[1 - (1 - R_Square) * (n - 1) / (n - p - 1)]$, where p is the number of regressors and n is the sample size. While most statistical software used the actual number of cases for the value of n , SPSS uses the sum of the weights, thus resulting in different values for the Adjusted R Squared statistics when compared to those calculated by other software.