

menu – **Pairwise** and **Listwise**²⁵. Depending on how you want to treat the missing data, you might change it. For the time being, we will leave it with the default setting: **Listwise**. When choosing **Pairwise**, all available data are used in the analysis, when choosing **Listwise** only cases with complete data are used in the analysis.

5. In the next steps you will need to specify the variables:
 - As Grouping Variable, the software always selects variable IDCNTY by default, or its equivalent depending on the study. No other variable needs to be added for this example.
 - Next, select the analysis variables. To activate this section, you will need to click in the area of the **Analysis Variables** field. Now you will need to select variables ASBGLR and ASBGSMR from the list of variables and move them to the analysis variables window by pressing the right arrow button in this section.
 - Next the plausible values need to be selected. To activate this section, you will need to click into the area of the **Plausible Values** field. Now you will need to select variable ASRLIT01-05 and ASRINF01-05 from the list of variables and move it to the **Plausible Values** field by pressing the right arrow button in this section.
6. Click on the **Define/Modify** button next to **Output Files** and specify the name of the output files. For our example we will use the name “Correlations_wPV”. This filename will be used to create an SPSS file with the syntax to perform the analysis, a set of SPSS and Excel files with the statistics from the analysis (one with descriptive statistics, and one with the correlation coefficients), and the SPSS output file with summary statistics from the analysis. The suffixes **_Desc**, or **_Corr** are added to the filename to identify the statistics contained in the corresponding file. This name will also be used to create and name a new output window with the results from this analysis.
7. Click on the **Start SPSS** button to create the SPSS syntax file and open it in an SPSS syntax window ready for execution. The syntax file must then be executed by opening the **Run** menu of the syntax window and selecting the **All** menu option. Alternatively you can also submit the code for processing with the keystrokes **Ctrl+A** (to select all), followed by **Ctrl+R** (to run the selection). The IDB Analyzer will give a warning if it is about to overwrite an existing file in the specified folder.

Figure 23 shows the IDB Analyzer Setup Screen for this analysis, Figure 24 shows the SPSS Syntax file created by the IDB Analyzer.

The SPSS output from the analysis displays unweighted and weighted descriptive statistics for all the variables in the analysis, along with their means, standard deviations and standard errors and the correlation coefficients between them.

SPSS output obtained from SPSS, Excel files and SPSS files with the results from this sample analysis can be found in the [Examples folder](#).

²⁵ For information about how SPSS treats data under each of these options, please review the documentation for the **MISSING** subcommand within the **CORRELATION** command.